



MAGIC AIR (HK) COMPANY LIMITED

GUANGDONG SHUNDE MAGIC AIR COMPANY LTD



MA-WM-A



MA-WM-B



MA-WM-M



MA-WM-N



MA-WM-AB / MA-WM-AC



MA-WM-D

IEC 60335 Standard, with CB certificate, SASO, KUCAS approved

SPECIFICATION / PERFORMANCE

Model	Cert Nr	Voltage	AC/Power (W)			Air Volume (CMH)		
			4 inch	5 inch	6 inch	4 inch	5 inch	6 inch
MA-WM-A	PBA	220	15	20	25	100	195	320
MA-WM-B	PBB	220	15	20	25	100	195	320
MA-WM-M	PBM	220	15	20	25	100	195	320
MA-WM-N	PBN	220	15	20	25	100	195	320
MA-WM-AB	PBAB	220	15	20	25	100	195	320
MA-WM-AC	PBAC	220	15	20	25	100	195	320
MA-WM-D	PBD	220	15	20	25	100	195	320

FIT OPENING / DIMANTIONS

Model	Opening (Inch)			Remark
MA-WM-A	4	5	6	
MA-WM-B	4	5	6	
MA-WM-M	4	5	6	
MA-WM-N	4	5	6	
MA-WM-AB	4	5	6	
MA-WM-AC	4	5	6	
MA-WM-D	4	5	6	

OPTIONS

- DC Motor up to 2.5W
- Time delay
- Humidity sensor



MA-CF



MA-CF-K

IEC 60335 Standard, with CB certificate, SASO, KUCAS approved

SPECIFICATION / PERFORMANCE


Model	Cert Nr	Voltage	Power (W)	Air Volume (CMH)
MA-CF-17	MA-CS-6	220	15	80
MA-CF-21	MA-CS-8	220	20	125
MA-CF-24	MA-CS-10	220	28	200
MA-CF-27	MA-CS-12	220	36	270
MA-CF-17K	MA-CF-6	220	17	90
MA-CF-24K	MA-CF-10	220	25	210
MA-CF-27K	MA-CF-12	220	40	400

FIT OPENING / DIMANTIONS


Model	Ceiling Opening (mm)		Height	Remark
MA-CF-17	180	180	164	
MA-CF-21	215	215	175	
MA-CF-24	240	240	175	
MA-CF-27	270	270	240	
MA-CF-17K	177	177	184	
MA-CF-24K	240	240	200	
MA-CF-27K	270	270	240	

OPTIONS


- DC Motor for choice, 50% energy save
- Time delay
- Humidity sensor




MA-MF-01JH



MA-MF-01



MA-MF-04



MA-MF-05

SPECIFICATION / PERFORMANCE

Model	Voltage (V)	POWER (W)			Air Volume (CMH)		
		LOW	MID	HIGH	LOW	MID	HIGH
MA-MF-01	220	55	120	200	350	550	700
MA-MF-01JH	220	65	130	220	320	520	680
MA-MF-04	220	58	65	72	250	320	400
MA-MF-05	220	58	65	72	250	320	400

FIT OPENING / DIMANTIONS

Model	Dimentions (mm)			Remark
	L	W	H	
MA-MF-01	500	430	245	
MA-MF-01JH	590	430	245	
MA-MF-04	500	430	155	
MA-MF-05	400	400	155	

OPTIONS

- DC Motors available, power consumption low to 45W



MA-WS-AB



MA-WS-AD



MA-WS-GI



MA-WS-AB (gray)



MA-WS-AE

IEC 60335 Standard, with CB certificate, SASO, KUCAS approved

SPECIFICATION / PERFORMANCE

Model	Cert Nr	Volt (V)	Power (W)				Air Volume (CMH)			
			6	8	10	12				
MA-WS-AB (L)	PBAB	220	25	30	38	42	480	520	860	1000
MA-WS-AD	PBAD	220	25	30	38	42	52	195	320	1000
MA-WS-AE	PBAE	220	25	30	38	42	100	195	320	1000
MA-WS-GI	PBGI	220		30	40			195	320	

FIT OPENING / DIMANTIONS

Model	Opening (mm)				Remark
	6 inch	8 inch	10 inch	12 inch	
MA-WS-AB (L)	180	245	295	345	Plastic
MA-WS-AD	180	245	295	345	Metal Frame & shutter
MA-WS-AE	180	245	295	345	Net type Cover
MA-WS-GI		245	295		All Metal

OPTIONS

- Ball bearing
- DC Motor
- Dual Voltage



MA-RF-A



MA-RF-X



MA-RF-S

IEC 60335 Standard, with CB certificate, SASO, KUCAS approved

SPECIFICATION / PERFORMANCE


MODEL	CERT.NR	Voltage (V)	AC/Power (W)		Air Volume (CMH)	
			6 Inch	8 Inch	6 Inch	8 Inch
MA-RF-A	PBC	220	15	20	200	300
MA-RF-X	PBC	220	15	20	200	300
MA-RF-S		220	25	30	270	442

FIT OPENING / DIMANTIONS


MODEL	Opening (mm)		Remark
	6 inch	8 inch	
MA-RF-A	186	250	
MA-RF-X	186	250	
MA-RF-S	186	250	

OPTIONS


- Condensator motor for X type
- Electric shutter



MA-IN-FHD



MA-IN-FSL



MA-IN-FS

IEC 60335 Standard, with CB certificate, SASO, KUCAS approved

SPECIFICATION / PERFORMANCE

Model	Cert Nr	Voltage	Power (W)			Air Volume (CMH)		
			4 inch	5 inch	6 inch	4 inch	5 inch	6 inch
MA-IN-FHD	CVF-FHD	220	15	20	25	100	195	320
MA-IN-FSL	CVF-FSL	220	15	20	25	100	195	320
MA-IN-FS	CVF-FS	220	15	20	25	100	195	320

FIT OPENING / DIMANTIONS

Model	Available Size (Inch)							Remark
MA-IN-FHD	9	12	16	18	24	30		
MA-IN-FSL	8	10	12	14	16	18	20	
MA-IN-FS	8	10	12	14	16	18		

OPTIONS

- DC Motor up to 2.5W
- Time delay
- Humidity sensor

Passion & Knowhow

MAGIC AIR CO.,LTD IS A NEW ESTABLISHED COMPANY Specialized in HEAT, VENTILATING, HEAT EXCHANGERS as our life business with forward-looking!

We are manufacturing various of fans for different market such as Asia & North America.

Bathroom fan, Wall mount fan, Ceiling residential ventilation & multiple ventilators.

We understand further development based on the passion & technology & make our team step forward. Our goals: as a respected decades company!



MAGIC AIR (HK) COMPANY LIMITED

GUANGDONG SHUNDE MAGIC AIR COMPANY LTD

E-MAIL: ou@magicair-vent.com
Website: www.magicair-vent.com

FACTORY: NO.5 WEI YE ROAD, XIN JIAO INDUSTRIAL ZONE, DALIANG, SHUNDE, CHINA
TEL: 86-757-26619631
FAX: 86-757-26619631

HK OFFICE: 15/B-15/F CHEUK NANG PLAZA 250 HENNESSY ROAD, HONG KONG.
TEL: 00852-30697276
FAX: 00852-21100996